

The ONYX logo features a stylized 'O' with a red-to-white gradient bar on its left side, followed by the word 'ONYX' in a bold, metallic, 3D-style font.A larger version of the ONYX logo, identical in design to the one in the top right corner.

MARKETED BY



TROJAN
The Global Tyre
Company

TROJAN LIMITED

Villa Ningjing-Shiguang, Laoshan District, Qingdao, China.

Website: www.trojanlimited.com

E-mail: info@trojanlimited.com



**PCR, SUV & LTR
Tire Catalogue**



ULTRA HIGH PERFORMANCE & ASYMMETRICAL PATTERN DESIGN

NY-901



Series	Size	Load Index	Speed Rating	UTQG
35	245/35R19	93XL	W	280AAA
	255/35R20	97XL	W	280AAA
40	205/40R17	84XL	W	280AAA
	215/40R17	87XL	W	280AAA
	225/40R18	92XL	W	280AAA
	235/40R18	95XL	W	280AAA
45	245/40R18	97XL	W	280AAA
	195/45R16	84XL	V	280AAA
	205/45R16	87XL	W	280AAA
	205/45R17	88XL	W	280AAA
	215/45R17	91XL	W	280AAA
	225/45R17	94XL	W	280AAA
50	235/45R17	97XL	W	280AAA
	245/45R17	99XL	W	280AAA
	225/45R18	95XL	W	280AAA
	235/45R18	98XL	W	280AAA
	245/45R18	100XL	W	280AAA
	55	195/50R15	86XL	V
195/50R16		88XL	V	280AAA
225/50R16		92	V	280AAA
205/50R17		93XL	W	280AAA
215/50R17		95XL	W	280AAA
225/50R17		98XL	W	280AAA
235/50R18		101XL	W	280AAA
55	195/55R15	85	V	280AAA
	185/55R16	83	V	280AAA
	195/55R16	91XL	V	280AAA

Series	Size	Load Index	Speed Rating	UTQG
55	215/55R15	97XL	V	280AAA
	215/55R15	97XL	W	280AAA
	225/55R16	99XL	V	280AAA
	215/55R17	98XL	W	280AAA
	225/55R17	101XL	W	280AAA
	235/55R17	103XL	W	280AAA



Features

Four wide circumferential grooves, lateral grooves with fine sipes and continuous block patterns on shoulder

Variable pitch tread design

Joint-less nylon band

Silica tread compound

Rim protector

Benefits

➤ Provide efficient water evacuation, outstanding wet performance and enhanced stability at high speed cornering

➤ Superior comfort and quiet ride

➤ Improve tread stiffness and uniformity and deliver high speed stability

➤ Provide better performance on wet surface and reduce rolling resistance

➤ Protect wheels from curb damage



Stability

Continuous block patterns on shoulder reduce pattern deformation during driving with prompt response and enhanced stability at high speed cornering



Water Evacuation

Four wide circumferential grooves deliver efficient water evacuation and prevent aquaplaning



Lateral grooves with fine sipes provide outstanding wet performance



Jointless Cap-Ply

Jointless bead wire and high density nylon improve high speed stability & maximize steering response

Improve HIGH SPEED STABILITY

Multi-inner radius improves driving control while assuring performance at high speed

Improve CONTROL



Special rim protector

Protects wheels from curb damage



Provide a quite comfortable and safe ride

NY-801

- Sporty
- Comfort
- Water Evacuation
- Fuel Efficiency
- All season
- 12-16 Inch
- Speed Rating: T-V
- 50-80 Series
- UTQG: 400AA


Series	Size	Load Index	Speed Rating	UTQG	Series	Size	Load Index	Speed Rating	UTQG	Series	Size	Load Index	Speed Rating	UTQG
50	195/50R15	82	V	400AA	60	215/60R16	95	V	400AA	65	215/65R16	102XL	H	400AA
	205/50R16	87	V	400AA		225/60R16	98	H	400AA		145/70R12	69	T	400AA
	225/50R16	92	V	400AA		225/60R16	102XL	V	400AA		155/70R12	73	T	400AA
55	185/55R15	82	V	400AA	65	155/65R13	73	T	400AA	70	165/70R12	77	T	400AA
	195/55R15	85	V	400AA		165/65R13	77	T	400AA		155/70R13	75	T	400AA
	205/55R16	91	V	400AA		155/65R14	75	T	400AA		165/70R13	79	T	400AA
60	215/55R16	97XL	V	400AA	65	165/65R14	79	T	400AA	80	175/70R13	82	T	400AA
	175/60R13	77	H	400AA		175/65R14	82	T	400AA		185/70R13	86	H	400AA
	165/60R14	75	H	400AA		175/65R14	82	H	400AA		165/70R14	81	T	400AA
	175/60R14	79	H	400AA		185/65R14	86	H	400AA		175/70R14	84	T	400AA
	185/60R14	82	H	400AA		175/65R15	84	H	400AA		185/70R14	88	H	400AA
	195/60R14	86	H	400AA		185/65R15	88	H	400AA		195/70R14	91	H	400AA
	175/60R15	81	H	400AA		195/65R15	95XL	H	400AA		205/70R14	95	H	400AA
	185/60R15	84	H	400AA		195/65R15	91	V	400AA		205/70R15	96	H	400AA
	195/60R15	88	V	400AA		205/65R15	94	V	400AA		215/70R15	98	H	400AA
	205/60R15	91	V	400AA		215/65R15	96	H	400AA		145/80R12	74	T	400AA
	195/60R16	89	H	400AA		205/65R16	95	H	400AA		155/80R13	79	T	400AA
	205/60R16	92	V	400AA		215/65R16	98	H	400AA		165/80R14	85	T	400AA

Features

- Enhanced compound
- Four wide circumferential tread grooves
- Streamlined pattern design
- Optimized variable pitch tread design

Benefits

- Excellent grip on wet and dry road conditions
- Deliver excellent performance on wet roads
- Provide excellent water evacuation and beautiful appearance
- Superior comfort and quiet ride



ONYX



DESIGNED FOR RIDE COMFORT AND HANDLING

NY-HP187



ONYX



PERFORMANCE STANDARD TOURING TIRES SPECIFICALLY DESIGNED FOR EVERYDAY DRIVING

NY-806



Series	Size	Ply Rating	Load Index	Speed Rating	UTQG
SUV	285/35R22		106 XL	V	
	275/40R20		106 XL	W	
	295/40R21		111 XL	W	
	305/40R22		114 XL	W	
	225/45R19		96 XL	W	
	235/45R19		99 XL	W	
	285/45R19		111 XL	W	
	245/45R20		99	Y	
	255/45R20		105 XL	V	
	275/45R20		110 XL	V	
	255/50R19		107 XL	V	
	255/50R20		109 XL	V	
	265/50R20		111 XL	V	
	215/55R18		99 XL	V	
	225/55R18		98	V	
			100	V	
	235/55R18		104 XL	V	
	255/55R18		109 XL	W	
	225/55R19		99	V	
	235/55R19		105 XL	V	
	245/55R19		103	V	
	255/55R19		111 XL	V	
	275/55R20		117 XL	V	
	215/60R17		96	H	
225/60R18		100	V		
235/60R18		107 XL	V		
245/60R18		105	V		
255/60R18		112 XL	V		
215/65R17		99	V		



17-22 Inch

Speed Rating: VWY

35-65 Series

Features

Benefits

- Asymmetric tread pattern design ➤ Creative tread grooves' fine lines design effectively reduce noise at high-speed driving.
- Functionally differentiated in medial and lateral sidewall ➤ A mass of steel sheets and grooves design provide great grip ability and driving performance on wetland.
- Improve steering performance in wet road conditions ensure high-speed stability. ➤ New Silicon containing tread compound enhance grip on wet road conditions and reduce rolling resistance.

Series	Size	Ply Rating	Load Index	Speed Rating	UTQG
55	195/55R15		85	V	400AA
	205/55R16		91	V	400AA
	165/60R14		75	H	400AA
60	185/60R15		84	H	400AA
	195/60R15		88	H	400AA
	215/60R16		95	H	400AA
	175/65R14		82	H	400AA
65	185/65R14		86	H	400AA
	185/65R15		88	H	400AA
	195/65R15		91	H	400AA
	205/65R15		94	H	400AA
	175/70R12		80	T	400AA
	155/70R13		75	T	400AA
	165/70R13		79	T	400AA
70	175/70R13		82	H	400AA
	185/70R13		86	H	400AA
	175/70R14		84	T	400AA
	185/70R14		88	H	400AA
	195/70R14		91	H	400AA



12-16 Inch

Speed Rating: H-V

65-85 Series

UTQG: 400AA

Features

Benefits

- Symmetrical 4-Wider longitudinal grooves ➤ Provides Excellent water channeling and anti-hydroplaning
- Integral lateral grooves and high-density sipes ➤ Improve wet grip, ensure safety from braking performance on wet roads
- Variable-pitch arrangement and optimized tread pattern block ➤ Reduced noise emission, provide a smooth and comfortable ride
- Special Silica tread compound ➤ Excellent grip on wet and dry surfaces, reduce rolling resistance

ONYX



DELIVER GRIP AND LONG TREAD WEAR FOR ALL-SEASON HIGHWAY DRIVING



NY-HT187

ONYX



ALL-TERRAIN 4X4 SUV TIRE OUTSTANDING ON AND OFF-ROAD PERFORMANCE



NY-AT187

Series	Size	Ply Rating	Load Index	Speed Rating	UTQG
	235/60R16		100	H	440AA
	225/60R17		99	H	440AA
	215/65R16		98	H	440AA
	225/65R17		102	H	440AA
	235/65R17		108XL	H	440AA
	245/65R17		111XL	H	440AA
	265/65R17		112	H	440AA
	215/70R16		100	H	440AA
	225/70R16		103	H	440AA
	235/70R16		106	H	440AA
	245/70R16		111XL	H	440AA
	255/70R16		111	T	440AA
SUV	265/70R16		112	H	440AA
	245/70R17		110	T	440AA
	265/70R17		115	T	440AA
	235/75R15		109XL	H	440AA
	31x10.5R15LT	6PR	109XL	H	
	LT265/70R17	10PR	121/118	H	
	LT235/75R15	6PR	104/101	R	
	LT225/75R16	10PR	115/112	S	
	LT245/75R16	10PR	120/116	S	
	LT265/75R16	10PR	123/120	R	
	LT245/75R17	10PR	121/118	S	
	LT215/85R16	10PR	115/112	R	
	LT235/85R16	10PR	120/116	R	



15-17 Inch Speed Rating: R-H
60-85 Series UTQG: 440AA

Features	Benefits
Four circumferential grooves and open shoulder slots	Prevent aquaplaning with enhanced wet grip performance
High-density sipes with silica compound	Deliver a smooth ride, lower noise and improve traction on dry and wet roads
Variable pitch pattern and optimized footprint design	Superior comfort and quiet ride
Solid center ribs	Provide steering stability and deliver a comfortable ride
Joint-less nylon band	Improve tread stiffness and uniformity and deliver high speed stability

Series	Size	Ply Rating	Load Index	Speed Rating	UTQG
	31x10.5R15LT	6PR	109	R	
	LT265/70R17	10PR	121/118	S	
	LT285/70R17	8PR	121/118	R	
	LT235/75R15	6PR	104/101	R	
	LT225/75R16	10PR	115/112	S	
	LT245/75R16	10PR	120/116	S	
	LT265/75R16	10PR	123/120	R	
	LT285/75R16	10PR	126/123	R	
	LT245/75R17	10PR	121/118	S	
	LT215/85R16	10PR	115/112	R	
	LT235/85R16	10PR	120/116	R	
SUV	245/65R17		107	T	460AB
	235/70R16		106	T	460AB
	245/70R16		107	T	460AB
	255/70R16		111	T	460AB
	265/70R16		112	T	460AB
	245/70R17		110	T	460AB
	265/70R17		115	T	460AB
	P285/70R17		117	T	460AB
	215/75R15		100	S	460AB
	235/75R15		109	S	460AB
	245/75R16		111	S	460AB
	265/75R16		116	S	460AB



15-17 Inch Speed Rating: R-T
65-85 Series UTQG: 460AB

Features	Benefits
Special tread compound and wide footprint	Enhance tread life and deliver excellent braking on wet and dry roads
Block tread design with multiple-sipes	Provide outstanding off-road traction
Open shoulder grooves	Prevent aquaplaning with enhanced wet grip performance
Joint-less nylon band	Improve tread stiffness and uniformity and deliver high speed stability
Strong structure design	Provide reliability and durability



OUTSTANDING PERFORMANCE IN
EXTREME DRIVING CONDITION

NY-MT187

Series	Size	Ply Rating	Load Index	Speed Rating
SUV	31x10.50R15LT	6PR	109	Q
	33x12.50R15LT	6PR	108	Q
	33x12.50R20LT	10PR	114	Q
	35x12.50R20LT	10PR	121	Q
	LT265/70R17	10PR	121/118	Q
	LT235/75R15	6PR	104/101	Q
	LT245/75R16	10PR	120/116	Q
	LT265/75R16	10PR	123/120	Q



15-17 Inch



70-75 Series



Speed Rating: Q



HIGH DURABILITY ENHANCED
TRACTION COMFORTABLE RIDE

NY-05

Series	Size	Ply Rating	Load Index	Speed Rating
LT	145R12LT	8PR	84/86	Q
	155R12C	8PR	88/86	Q
	185R14C	8PR	102/100	R
	195R14C	8PR	106/104	R
	195R15C	8PR	106/104	R



12-15 Inch



Speed Rating: Q-R



Features

- Aggressive pattern design
- High void ratio and open shoulder design
- Special casing profile and solid shoulder pattern
- Reinforced casing construction

Benefits

- Outstanding traction in all conditions
- Excellent resistance to aquaplaning and self-cleaning performance
- Enhanced traction and cornering performance
- Superior overall resistance to damage

Features

- Reinforced sture composed of two steel belts and full nylon protector
- Zigzag vertical groove with continuous sipes
- Special abrasion-resistant tread compound
- Solid shoulder design with wide grooves and continuous sipes

Benefits

- Deliver extra puncture resistance and robust load bearing capacity
- Provide excellent wet and dry grip sipes
- Provide enhanced mileage with reduced heat
- Provide responsive handling, even wear and excellent water evacuation



LIGHT TRUCK TIRE WITH ENHANCED DURABILITY & MILEAGE

NY-06



Series	Size	Ply Rating	Load Index	Speed Rating
LT	155R13C	8PR	90/88	Q
	165R13C	8PR	94/92	R
	175R13C	8PR	97/95	R
	175R14C	8PR	99/98	R
	175/65R14C	6PR	90/88	T
	205/65R15C	6PR	102/100	T
	205/65R16C	8PR	107/105	T
	235/65R16C	8PR	115/113	T
	165/70R13LT	6PR	88/86	S
	165/70R14C	6PR	89/87	R
	175/70R14LT	6PR	95/93	S
	195/70R15C	8PR	104/102	R
	205/70R15C	8PR	106/104	R
	215/70R15C	8PR	109/107	R
	225/70R15C	8PR	112/110	R
	185/75R16C	8PR	104/102	R
	195/75R16C	8PR	107/105	R
	215/75R16C	10PR	116/114	R



13-16 Inch Speed Rating: Q-T

Features

Benefits

- Reinforced structure composed of two steel belts and full nylon protector ➤ Deliver extra puncture resistance and robust load bearing capacity
- Zigzag vertical groove and open horizontal groove arrangement with sipes ➤ Provide excellent wet and dry grip
- Special abrasion-resistant tread compound ➤ Provide enhanced mileage with reduced heat
- Variable pitch pattern ➤ Superior comfort and quiet ride



PERFORMANCE STANDARD TOURING TIRES SPECIFICALLY DESIGNED FOR EVERYDAY DRIVING

NY-20



Series	Size	Ply Rating	Load Index	Speed Rating	UTQG
SUV	155R12C	8PR	88/88	Q	
	185R14C	8PR	102/100	R	
	195R14C	8PR	160/104	R	
	195R15C	8PR	106/104	R	
	225/70R15	8PR	112/110	R	



12-15 Inch Speed Rating: QR

Features

Benefits

- Robust and solid pattern design ➤ Provides good performance and protection
- Zigzag-shaped traction grooves ➤ Improves durability and robustness in toughest driving conditions
- Reinforced new tread compound ➤ Enhance traction on road and off-roads
- New durable tread compound ➤ Improved tread wear, offers a longer tyre life



NY-AS 687

Series	Size	Load Index	Speed Rating
LT	195/65R16C	104/102	R
	205/65R16C	107/105	R
	215/65R16C	109/107	R
	235/65R16C	115/113	T
	195/70R15C	104/102	R
	215/70R15C	109/107	R
	195/75R16C	107/105	R
	215/75R16C	116/114	R
	225/75R16C	121/120	R



15-16 Inch Speed Rating: R-T
 65-75 Series

Features

Balanced pattern design

High grip silica compound

Three zigzag grooves

Optimised sipe sequence on all four ribs

Benefits

- Maximised for winter performance, boasts dry and wet performance on par with most summer tires
- It provides excellent driving performance under all weather conditions Improved snow / wet traction and lowered rolling resistance
- To secure safety on wet roads, to satisfy both hydroplaning and snow performance
- For all surfaces from normal roads to rain and snow



NY-W702

Series	Size	Load Index	Speed Rating
40	225/40R18	92XL	H
	245/40R18	97XL	H
45	195/45R16	84XL	H
	205/45R17	88XL	H
	215/45R17	91XL	H
	225/45R17	94XL	H
	235/45R18	98XL	H
	245/45R18	100XL	H
50	255/45R20	105XL	H
	195/50R15	86XL	H
	195/50R16	88XL	H
	205/50R17	93XL	H
	215/50R17	95XL	H
	225/50R17	98XL	H
	255/50R19	103	H
	255/50R20	109XL	H
	185/55R15	86XL	H
	195/55R15	85	H
55	195/55R16	91XL	H
	205/55R16	91	H
	215/55R16	97XL	H
	225/55R16	99XL	H
	205/55R17	95XL	H
	215/55R17	98XL	H
	225/55R17	101XL	H
	235/55R17	103XL	H
	215/55R18	95	H
	225/55R18	98	H
60	245/55R19	103	H
	255/55R19	111XL	H

Series	Size	Load Index	Speed Rating
60	165/60R14	75	H
	185/60R14	82	T
	195/60R14	86	H
	175/60R15	81	H
	185/60R15	84	T
	195/60R15	88	H
65	205/60R16	92	H
	215/60R16	99XL	H
	215/60R17	96	H
	225/60R17	99	H
	155/65R13	73	T
	155/65R14	75	T
	175/65R14	82	T
	185/65R14	86	T
	175/65R15	84	T
	185/65R15	88	T
70	195/65R15	91	T
	205/65R15	94	H
	215/65R16	98	H
	225/65R17	102	H
	235/65R17	108XL	H
	145/70R12	69	T
	155/70R13	75	T
	165/70R13	79	T
80	175/70R13	82	T
	185/70R13	86	T
	165/70R14	81	T
	175/70R14	88XL	T



12-20 Inch Speed Rating: T-H
 40-80 Series

Series	Size	Load Index	Speed Rating
70	145/70R12	69	T
	155/70R13	75	T
	165/70R13	79	T
	175/70R13	82	T
80	185/70R13	86	T
	165/70R14	81	T
	175/70R14	88XL	T
	205/70R15	96	T

Features

Outer longitudinal rib block design and inner lateral slots

Silica tread compound

Three longitudinal grooves

Non-through block sipes

Benefits

- Enhance braking, cornering grip and the removal of water and slush
- Deliver superb traction and lower rolling resistance
- Improve water evacuation and stability in deep snow conditions
- Provide excellent grip, minimise the friction and reduce rolling resistance

ONYX



STUDDABLE WINTER TIRE FOR
CUV/SUV AND PASSENGER CAR



NY-W703

Series	Size	Load Index	Speed Rating
45	225/45R17	94XL	H
	185/55R15	86XL	H
	205/55R16	91	H
55	215/55R17	98XL	H
	225/55R17	101XL	H
	185/60R15	84	T
60	195/60R15	88	H
	205/60R16	92	H
	215/60R16	99XL	H
	225/60R16	98	H
	215/60R17	96	H
	225/60R17	99	H
	235/60R17	102	H
65	175/65R14	82	T
	185/65R14	86	T
	185/65R15	88	T
	195/65R15	91	T
	205/65R15	94	H
	205/65R16	95	H
	215/65R16	98	H
	225/65R16	100	H
	205/65R17	96	H
	225/65R17	102	H
235/65R17	104	T	
245/65R17	107	T	

Series	Size	Load Index	Speed Rating
70	175/70R13	82	T
	185/70R13	86	T
	185/70R14	88	T
	215/70R16	100	T
	235/70R16	106	T
	265/70R16	112	T
	275/70R16	114	T
45-70 Series	245/70R17	110	T
	265/70R17	115	T



Features	Benefits
Directional winter tread pattern	➤ Enhanced road contact and performance for snow and wet road conditions
Optimized tread sipe	➤ Enhanced acceleration and braking under winter conditions
Solid center rib	➤ Improve handling when changing lane and cornering
Optimum allocation multi random stud lines	➤ Improve traction performance on snow and ice and minimize stud noise
Winter traction compound	➤ Silica-rich compound give improved ice, snow and wet grip while maintaining performance in cold temperature

ONYX



STUDDABLE WINTER TIRE
FOR SUV & LIGHT TRUCK



NY-W187

Series	Size	Load Index	Speed Rating
65	LT275/65R18	123/120	S
70	LT245/70R17	119/116	S
	LT265/70R17	121/118	S
75	LT275/70R18	125/122	S
	LT235/75R15	104/101	R
	LT225/75R16	115/112	S
	LT245/75R16	120/116	S
	LT265/75R16	123/120	R
	LT245/75R17	121/118	S



Features	Benefits
V-shape tread pattern	➤ Enhanced snow traction performance through rigidity of the blocks
Multi-angle sipe positioning	➤ Enhanced grip for braking on icy and snowy roads
Sawtooth center rib	➤ Increase stability, maintain even treadwear, and aid in acceleration and braking
Optimum allocation multi random stud lines	➤ Improve traction performance on snow and ice and minimize stud noise
Winter traction compound	➤ Silica-rich compound give improved ice, snow and wet grip while maintaining performance in cold temperature

ONYX

COMMERCIAL VAN WINTER TIRE



NY-W287

Series	Size	Ply Rating	Load Index	Speed Rating
LT	195/65R16C	8PR	104/102	R
	205/65R16C	8PR	107/105	R
	215/65R16C	8PR	109/107	R
	235/65R16C	8PR	115/113	R
	195/70R15C	8PR	104/102	R
	215/70R15C	8PR	109/107	R
	225/70R15C	8PR	112/110	R
	195/75R16C	8PR	107/105	R



15-16 Inch Speed Rating: R

65-75 Series

Features

Silica tread compound

- Provide better performance on wet surface and reduce rolling resistance

Large block tread design

- Enhance traction and handling in snow conditions

Zigzag grooves and high-density sipes arrangement

- Improve grip performance from wet and frigid surfaces to snow and ice

Reinforced construction

- Deliver robust load bearing capacity and rugged durability

Benefits

ONYX

STUDDABLE WINTER TIRE
FOR COMMERCIAL VAN



NY-W387

Series	Size	Ply Rating	Load Index	Speed Rating
LT	155R12C	8PR	88/86	Q
	165R13C	8PR	94/92	R
	175R14C	8PR	99/98	R
	185R14C	8PR	102/100	R
	185/75R16C	8PR	104/102	R



12-16 Inch Speed Rating: Q-R

Features

High void directional tread pattern

- Help to maintain contact with the road in winter condition providing confidence in winter driving

Multiple sipes

- Improve grip power on snowy and icy road

Three sawtooth main grooves

- Deliver exceptional traction and control for winter driving condition

Winter traction compound

- Silica-rich compound give improved ice, snow and wet grip while maintaining performance in cold temperature

Benefits

ONYX



ALL SEASON PERFORMANCE TIRE
FOR PASSENGER CAR

NY-AS 705



Series	Size	Load Index	Speed Rating
40	225/40R18	92XL	V
	245/40R18	97XL	V
	195/45R16	84XL	V
	205/45R16	87XL	V
45	205/45R17	88XL	V
	215/45R17	91XL	V
	225/45R17	94XL	V
	245/45R17	99XL	V
50	245/45R18	100XL	V
	195/50R15	86XL	V
	195/50R16	88XL	V
	205/50R17	93XL	V
55	215/50R17	95XL	V
	225/50R17	98XL	V
	185/55R14	80	H
	185/55R15	86XL	H
60	195/55R15	85	H
	195/55R16	91XL	V
	205/55R16	94XL	V
	215/55R16	97XL	V
65	215/55R17	98XL	V
	225/55R17	101XL	V
	235/55R17	103XL	V
	165/60R14	75	H
70	185/60R14	82	H
	165/60R15	77	T
	185/60R15	88XL	H
	195/60R15	88	H
80	205/60R16	96XL	V
	215/60R16	99XL	H

Series	Size	Load Index	Speed Rating
65	155/65R13	73	T
	165/65R13	77	T
	155/65R14	75	T
	165/65R14	79	T
70	175/65R14	82	T
	165/65R15	81	T
	175/65R15	88XL	T
	185/65R15	88	H
80	195/65R15	91	H
	215/65R16	102XL	H
	155/70R13	75	T
	165/70R13	79	T
80	165/70R14	81	T
	175/70R14	88XL	T
	155/80R13	79	T



13-18 Inch
40-80 Series
Speed Rating: T-V


Features

- Asymmetric pattern
- High grip silica compound
- Two straight & two semi zigzag longitudinal grooves
- Two types sipes

Benefits

- Multi-performance harmony for total balanced all season driving
- Improved snow / wet traction and lowered rolling resistance
- Reduced ground resistance enables a smoother flow over water and snow, ensure the best wet and snow traction performance
- The application of summer and winter sipes allows the tire to possess high summer capabilities and winter capabilities

Technical File:



Speed Symbols

SI	KM/H
B	50
C	60
D	65
E	70
F	80
G	90
J	100
K	110
L	120
M	130
N	140
P	150
Q	160
R	170
S	180
T	190
U	200
H	210
V	240
W	270
Y	300
Z	Above240

Load Capacity Index

LI	KG	LI	KG	LI	KG	LI	KG
50	190	70	335	90	600	110	1060
51	195	71	345	91	615	111	1090
52	200	72	355	92	630	112	1120
53	206	73	365	93	650	113	1150
54	212	74	375	94	670	114	1180
55	218	75	387	95	690	115	1215
56	224	76	400	96	710	116	1250
57	230	77	412	97	730	117	1285
58	236	78	425	98	750	118	1320
59	243	79	437	99	775	119	1360
60	250	80	450	100	800	120	1400
61	257	81	462	101	825	121	1450
62	265	82	475	102	850	122	1500
63	272	83	487	103	875	123	1550
64	280	84	500	104	900	124	1600
65	290	85	515	105	925	125	1650
66	300	86	530	106	950	126	1700
67	307	87	545	107	975	127	1750
68	315	88	560	108	1000	128	1800
69	325	89	580	109	1030	129	1850
						130	1900